

## Deutsche Akkreditierungsstelle GmbH

### Anlage zur Akkreditierungsurkunde D-ML-13217-01-02 nach DIN EN ISO 15189:2014

**Gültig ab: 16.03.2021**

Ausstellungsdatum: 16.03.2021

Urkundeninhaber:

**Universitätsklinikum Halle (Saale), AöR  
Einrichtung für Transfusionsmedizin  
Ernst-Grube-Straße 40, 06120 Halle (Saale)**

**Untersuchungen im Bereich:**

Medizinische Laboratoriumsdiagnostik

**Untersuchungsgebiet:**

Transfusionsmedizin (Immungenetik und Transplantationsimmunologie gemäß Standards der European Federation for Immunogenetics (EFI), Version 7.0)

Untersuchungsgebiet: Transfusionsmedizin  
(Transfusionsmedizin (Immungenetik und Transplantationsimmunologie gemäß Standards der European Federation for Immunogenetics (EFI), Version 7.0)

**ACCREDITATION CATEGORIES**

	Approved by inspector	
<b>Renal and/or Pancreatic transplantation:</b>		
Recipient typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody screening	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody identification	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Donor typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cross-matching	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>Other solid organ transplantation:</b>		
Recipient typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody screening	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody identification	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Donor typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cross-matching	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>Haematopoietic stem cell transplantation (HSCT):</b>		
Donor registry typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Related transplantation	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Unrelated transplantation	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Cord Blood typing	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Cross-matching	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Chimaerism and engraftment monitoring	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<b>Disease association studies</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>Transfusion</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>HNA typing</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<b>HPA typing</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>HNA antibodies</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<b>HPA antibodies</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>

**ACCREDITATION TECHNIQUES TYPING**

**Class I typing by:**

CDC

Approved by inspector	
Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

Flow cytometry (HLA-B27)

Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
------------------------------	----------------------------------------

DNA low resolution

Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
-----------------------------------------	-----------------------------

DNA high resolution

Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
-----------------------------------------	-----------------------------

PCR-SSP

Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
-----------------------------------------	-----------------------------

PCR-SSO

Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
------------------------------	----------------------------------------

PCR-SBT

Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
-----------------------------------------	-----------------------------

NGS

Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
------------------------------	----------------------------------------

**Class II typing by:**

CDC

Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
------------------------------	----------------------------------------

DNA low resolution

Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
-----------------------------------------	-----------------------------

DNA high resolution

Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
-----------------------------------------	-----------------------------

PCR-SSP

Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
------------------------------	----------------------------------------

PCR-SSO

Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
-----------------------------------------	-----------------------------

PCR-SBT

Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
------------------------------	----------------------------------------

NGS

**MICA Typing:**

Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
------------------------------	----------------------------------------

**KIR Typing:**

Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
------------------------------	----------------------------------------

**ACCREDITATION TECHNIQUES ANTIBODIES**

		Approved by inspector	
<b>HLA Antibody testing by:</b>			
CDC	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Bead array	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
<b>Antibody identification by:</b>			
CDC	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Bead array	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
<b>Antibody cross-matching by:</b>			
CDC	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Bead array	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	