

## Deutsche Akkreditierungsstelle GmbH

### Anlage zur Akkreditierungsurkunde D-ML-13430-01-02 nach DIN EN ISO 15189:2014

**Gültig ab: 31.01.2022**

Ausstellungsdatum: 31.01.2022

Urkundeninhaber:

**Kliniken der Stadt Köln gGmbH  
Institut für Transfusionsmedizin  
Ostmerheimer Straße 200, 51109 Köln**

**Untersuchungen im Bereich:**

Medizinische Laboratoriumsdiagnostik

**Untersuchungsgebiet:**

Transfusionsmedizin (Immungenetik und Transplantationsimmunologie gemäß Standards der European Federation for Immunogenetics (EFI), Version 8.0)

Untersuchungsgebiet: Transfusionsmedizin  
(Transfusionsmedizin (Immungenetik und Transplantationsimmunologie gemäß Standards der European Federation for Immunogenetics (EFI), Version 8.0)

**ACCREDITATION CATEGORIES**

	Approved by inspectors	
<b>Renal and/or pancreatic transplantation:</b>		
Recipient typing:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody screening:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody identification:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Donor typing:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cross-matching:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>Other solid organ transplantation:</b>		
Recipient typing:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody screening:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody identification:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Donor typing:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cross-matching:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>Haematopoietic stem cell transplantation (HSCT):</b>		
Donor registry typing:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Related transplantation:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Unrelated transplantation:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Cord Blood typing:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Cross-matching:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Chimaerism and engraftment monitoring:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<b>Disease association studies:</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>Transfusion:</b>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
<b>HNA typing:</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<b>HPA typing:</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<b>HNA antibodies:</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<b>HPA antibodies:</b>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>

**ACCREDITATION TECHNIQUES TYPING**

**Class I typing by::**

CDC:

Flow cytometry (HLA-B27):

DNA low resolution:

DNA high resolution:

PCR-SSP:

PCR-SSO:

PCR-SBT:

NGS:

**Class II typing by:**

CDC:

DNA low resolution:

DNA high resolution:

PCR-SSP:

PCR-SSO:

PCR-SBT:

NGS:

**MICA Typing:**

**KIR Typing:**

Approved by inspektors	
Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>

Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>

**ACCREDITATION TECHNIQUES ANTIBODIES**

		Approved by inspektors	
<b>HLA Antibody testing by:</b>			
CDC:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Bead array:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
<b>Antibody identification by:</b>			
CDC:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Bead array:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
<b>Antibody cross-matching by:</b>			
CDC:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Bead array:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	